

Leading the World in G.I. Disposable Probes, Supplies & Accessories

Reflux Monitoring

Comfortable...easy... smooth...flexible...


Ambulatory Reflux

Ambulatory reflux probes from Diversatek Healthcare are the perfect choice for every application. Our pH and Impedance/pH probes are available in three sizes to meet a variety of esophageal lengths. Small in diameter, our probes are made from specially-formulated polyurethane^{*}, which softens in response to body temperature to optimize ease of insertion and enhance patient comfort. Not only that, our probes are 100% guaranteed...we stand behind our products!

ComforTEC[®] Z/pH Probe

Internal Reference, Non-infused.

| Single-use, n | on-sterile | |
|---------------|----------------------------------------------------------------------------------------------------------|----------|
| Part No. | Description | Qty/Case |
| ZAN-BD-31 | ≥ 18 cm Esophageal length, 6 impedance, 2 pH channels 0 & 15 cm, 6.4 FR / 2.13 mm. | 1 |
| ZAN-BG-44 | ≥ 18 cm Esophageal length, 6 impedance, 2 pH channels -15 & 0 cm, 6.4 FR / 2.13 mm (Gastric). | 1 |
| ZAN-BS-01 | ≥ 18 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. | 1 |
| ZAN-BT-60 | ≥ 18 cm Esophageal length, 6 impedance, 3 pH channels -15 & 0 & 15 cm, 6.4 FR / 2.13 mm (Gastric). | 1 |
| ZPN-BS-46 | 15–18 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. | 1 |
| ZPN-BS-50 | 15–18 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. Sensor spacing at 1.5 cm. | 1 |
| ZIN-BS-51 | < 15 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. | 1 |





Reflux Monitoring

ZepHr[®] Impedance/pH Recorder & Accessories

ZepHr[®] Impedance/pH Recorder & Accessories

| Part No. | Product | Description | Qty/Case |
|-------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Z07-2000B-B | ZepHr [®] Z/pH Recorder | ZepHr® ambulatory impedance/pH reflux monitoring recorder. Includes carrying case, two SD cards, and two AA batteries. ZepHr® has a limited two year warranty. | 1 |
| Z07-9000 | ZepHr [®] System Kit | Includes an SD Card Reader, pH Calibration Tubes, and Buffer Solutions. | 1 |
| Z07-4053 | ZepHr [®] Battery Cover | | 1 |
| Z07-4055 | ZepHr [®] Probe Cover, Smoke | | 1 |
| Z07R-8002 | ZepHr [®] Thermoform Pouch | | 1 |
| Z07-1250 | SD Flash Memory Card | | 1 |
| A04-2000-S | ZepHr® AirFlo [™] Sphincter Locator | LES locator for pH or Z/pH reflux testing. Infused catheters are required for use. | 1 |
| D82-3103 | pH1Buffer Solution (500 mL) | For use with pH reflux testing system and catheters. | 1 |
| D82-3151 | pH 4 Buffer Solution (500 mL) | For use with Diversatek Healthcare Z/pH or pH reflux testing system and catheters. | 1 |
| D82-3152 | pH 7 Buffer Solution (500 mL) | For use with Diversatek Healthcare Z/pH or pH reflux testing system and catheters. | 1 |
| D82-3181 | pH1Buffer Solution (250 mL) | For use with pH reflux testing system and catheters. | 1 |
| D82-3182 | pH 4 Buffer Solution (250 mL) | For use with Diversatek Healthcare Z/pH or pH reflux testing system and catheters. | 1 |
| D82-3183 | pH 7 Buffer Solution (250 mL) | For use with Diversatek Healthcare Z/pH or pH reflux testing system and catheters. | 1 |
| L89-5700-4 | USB Multicard Reader Kit for ZepHr® | | 1 |
| L89-6020-40 | pH Calibration Tubes (Set of 3) | Includes pH 4 and pH 7 buffer tubes plus a water tube. | 1 |
| L89-6021-40 | pH Calibration Buffer Tube, 40 cm | Includes both pH 4 and pH 7 labels. | 1 |
| MOUSEPAD-Z1 | Diversatek Healthcare Mousepad | | 1 |
| NG-0050 | Nasal Tube Fastener | Adult size for reflux testing system. | 50 |



-25 cm

-10 cm

-30 cm

-15 cm

-20 cm

-5 cm


-15 cm

ComforTEC[®] Z/pH Probe

Internal Reference, Infused.

Single-use, non-sterile. Use with ZepHr[®] AirFlo[™] Sphincter Locator

| Part No. | Description | Qty/Case |
|-----------|----------------------------------------------------------------------------------------------------------------------------|----------|
| ZAI-BD-31 | ≥ 18 cm Esophageal length, 6 impedance, 2 pH channels 0 & 15 cm, 6.9 FR / 2.3 mm. | 1 |
| ZAI-BS-01 | ≥18 cm Esophageal length, 6 impedance, 1 pH channel, 6.9 FR / 2.3 mm. | 1 |
| ZPI-BS-46 | 15–18 cm Esophageal length, 6 impedance, 1 pH channel, 6.9 FR / 2.3 mm. | 1 |
| ZAI-BG-44 | ≥ 18 cm Esophageal length, 6 impedance, 2 pH channels -15 & 0 cm, 6.9 FR / 2.3 mm (Gastric). | 1 |
| ZPI-BG-52 | 15–18 cm Esophageal length, 6 impedance, 2 pH channels -12 & 0 cm, 6.9 FR / 2.3 mm. Sensor spacing 1.5 cm (Gastric). | 1 |



ComfoTEC° LPR Probe. Internal Reference, Infused. Single-use, non-sterile

| Part No. | Description | Qty/Case |
|-----------|------------------------------------------------------------------------------------------------|----------|
| ZAI-BL-54 | 26–28 cm Esophageal length, 6.9 FR / 2.3 mm. To assess acid and nonacid reflux (Total LPR). | 1 |
| ZAI-BL-55 | 23–25 cm Esophageal length, 6.9 FR / 2.3 mm. To assess acid and nonacid reflux (Total LPR). | 1 |
| ZAI-BL-56 | 20–22 cm Esophageal length, 6.9 FR / 2.3 mm. To assess acid and nonacid reflux (Total LPR). | 1 |

| | 2 | | ()485/bert |
|--------|---|---|----------------|
| | * | | UISPort |
| 1. | - | * | LESPot |

-10 cm

-5 cm

0 cm

10 cm

15 cm

5 cm

10 cm

20 cm

External Reference, Non-infused.

Single-use, non-sterile

| Part No. | Description | Qty/Case |
|------------|---------------------------------------------------------------------------------------------------------------------|----------|
| ZAN-BS-01E | ≥18 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. | 1 |
| ZPN-BS-46E | 15–18 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. | 1 |
| ZIN-BS-45E | <15 cm Esophageal length, 6 impedance, 1 pH channel, 6.4 FR / 2.13 mm. | 1 |
| ZAN-BG-44E | ≥ 18 cm Esophageal length, 6 impedance, 2 pH channels -15 & 0 cm, 6.4 FR / 2.13 mm. Special Order (Gastric). | 1 |
| ZPN-BG-07E | 15–18 cm Esophageal length, 6 impedance, 2 pH channels -12 & 0 cm, 6.4 FR / 2.13 mm. Special Order (Gastric). | 1 |


5 cm

0 cm

External Reference, Infused.

| Single-use, n | on-sterile | |
|---------------|------------------------------------------------------------------------------------------------------------------|----------|
| Part No. | Description | Qty/Case |
| ZAI-BS-01E | ≥18 cm Esophageal length, 6 impedance, 1 pH channel, 6.9 FR / 2.3 mm. | 1 |
| ZAI-BG-44E | ≥18 cm Esophageal length, 6 impedance, 2 pH channels -15 & 0 cm, 6.9 FR / 2.3 mm. Special Order (Gastric). | 1 |

| -15 cm | -10 cm | -5 cm | 0 cm | 5 cm | 10 cm | 15 cm | 20 cm |
|--------|--------|-------|------|------------|-----------|-------|-------|
| | | | - | The second | an_n_ | - | _ |
| | | | | | | | |
| | | | | C LES Po | ort 🕅 📄 📄 | | |



ComforTEC® PLUS pH Probe

Internal Reference, Non-infused. Single-use, non-sterile

| Single | e-use, | non | -ste |
|--------|--------|-----|------|
|--------|--------|-----|------|

| - | · | |
|----------|-----------------------------------------------|----------|
| Part No. | Description | Qty/Case |
| PHN10 | Dual channel 10 cm spacing, 6.4 FR / 2.13 mm. | 1 |
| PHN10-P | Dual channel 10 cm spacing, 5 FR / 1.67 mm. | 1 |
| PHN15 | Dual channel 15 cm spacing, 6.4 FR / 2.13 mm. | 1 |
| PHN21 | Dual channel 21 cm spacing, 6.4 FR / 2.13 mm. | 1 |
| PHN5 | Dual channel 5 cm spacing, 6.4 FR / 2.13 mm. | 1 |
| PHNS | Single channel, 6.4 FR / 2.13 mm. | 1 |
| PHNS-P | Single channel, 5 FR / 1.67 mm. | 1 |

| 0 | | | | 1 | 5 | | | | | 10 | | | | | 15 | | | | 2 | 20 | | 1 | | 1 | 25 | | | | | | | |
|---|---|---|----|----|----|---|----|---|---|----------|----|----|---|----|----|----|----|---|---|----|---|---|---|----|----|---|---|---|----|---|---|---|
| | - | | | | | | | - | - | 0 | - | - | - | - | - | | | 1 | | - | | | | | - | | - | | | - | _ | - |
| | - | 1 | 1 | - | | - | | _ | 1 | ō. | | | _ | - | | | | 1 | | - | | | 1 | 1 | 1 | - | 1 | 1 | | - | | _ |
| | 1 | | i. | ï | i. | ÷ | i. | T | 1 | <u>0</u> | | 1 | T | 1 | ō. | 1 | 1 | | | I. | | | | 1 | E | i | | | 1 | 1 | | - |
| | ÷ | 1 | i. | i. | i. | ÷ | i. | T | 1 | Ξ | i. | i. | T | i. | | 1 | 1 | | | i. | 0 | | | 1 | I. | i | | | 1 | 1 | | - |
| | 1 | 1 | i. | ÷ | 0 | ł | ÷ | T | ÷ | Ξ | I | i. | T | i. | Ξ | i. | i. | 1 | 1 | I. | 0 | 1 | 1 | i. | I. | i | 1 | 1 | i. | | | 1 |
| | | 1 | | 1 | 0 | | 1 | 1 | | Ξ | 1 | i. | 1 | i. | 1 | | | | | 1 | | | | | ī. | | | | | 1 | | 1 |
| | - | ł | i. | T | T | 1 | T | T | T | T | T | T | T | T | T | 1 | 1 | 1 | ł | T | T | 1 | 1 | i. | T | T | | 1 | 1 | 1 | | 1 |
| | _ | | | | - | | | - | | - | - | - | - | - | - | | | | | - | | | | | - | | | | | - | | - |

Internal Reference, Infused.

| Single-use, non-sterile |
|-------------------------|
|-------------------------|

| Single-use | e, non-sterile | |
|------------|----------------------------------------------|----------|
| Part No. | Description | Qty/Case |
| PHI10 | Dual channel 10 cm spacing, 6.9 FR / 2.3 mm. | 1 |
| PHI15 | Dual channel 15 cm spacing, 6.9 FR / 2.3 mm. | 1 |
| PHI5 | Dual channel 5 cm spacing, 6.9 FR / 2.3 mm. | 1 |
| PHIS | Single channel, 6.9 FR / 2.3 mm. | 1 |

| 0 | 5 | 10 |) | | | 15 | 5 | | | 2 | 20 | | | | | 25 | | | | | | | |
|---|----------------|----|---|---|---|----|---|---|---|---|----|---|---|---|---|----|---|---|---|---|-----|---|---|
| | O LES Port | Þ | _ | - | - | _ | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | _ | _ |
| | | | | | | | | | | | 1. | | | | | 1. | | | | | 1.1 | | |
| | C LES Port | | - | _ | | 0 | | - | _ | - | - | - | _ | - | - | - | - | - | - | - | - | | |
| | O LES Port | | 1 | 1 | - | _ | 1 | - | 1 | - | 1 | 1 | - | 1 | - | 1 | 1 | 1 | - | 1 | - | | |
| _ | | | | | | | | | | | i. | 1 | | | | ÷. | | | | | | | |
| | O LES Port | | _ | _ | | _ | _ | _ | | | | | | | _ | _ | | _ | | | _ | _ | |

Innovations in Clinical Education

Diversatek University Online

Our online training platform contains free content on esophageal and anorectal manometric studies, as well as impedance/pH reflux monitoring studies. Included are tutorials providing step-by-step guidance to develop skills in data acquisition, study review and report generation. Simply go to **DiversatekHealthcare.com** to request log-in information.

Denver Training Center

Our Technical Research & Training Center specializes in clinical education and personalized training to make learning easy and convenient. Our comprehensive clinical instruction provides users with the knowledge and skills necessary to effectively acquire and analyze high resolution impedance manometry studies, impedance/pH reflux monitoring studies and anorectal manometry studies. Email us at **clinicaleducation@diversatekhc.com** or visit us online to learn more about our Denver course offerings.

Webinars

Diversatek Healthcare is proud to present a series of live, interactive discussions on topics related to esophageal function testing, impedance/pH reflux monitoring studies and anorectal manometry. Each webinar includes a didactic session followed by an open discussion. All webinars are recorded and posted to the Diversatek U online portal for easy reference. Access **DiversatekHealthcare.com** for upcoming webinar announcements.

The Diversatek Healthcare Review

Diversatek Healthcare Review, our monthly e-newsletter, features what's new at Diversatek University along with up-to-date product information. Every issue also includes our Clinical Insights, providing educational tips for Z/pH and HRiM analysis as well as answers to the most frequently asked questions.

Personalized Clinical Support

Onsite Training

Diversatek Healthcare Clinical Specialists deliver product support to suit your specific needs—on your schedule. Specialists are onsite at your facility to train and support you on your Diversatek Healthcare manometry or reflux monitoring equipment as you work through patient cases, acquire and analyze patient data, and create patient reports.

Virtual Coaching

Online and in real-time, Diversatek Healthcare Clinical Specialists work with you via screen sharing to provide study-specific data review and report generation coaching for your more difficult studies. Email us at **clinicalsupport@diversatekhc.com** to schedule a one-on-one session.



Advancing GI care by driving science, developing and delivering solutions, and providing unmatched clinical support.

DiversatekHealthcare.com

P 800.558.6408 or 414.265.7620

Corporate Headquarters 102 East Keefe Avenue Milwaukee, WI 53212 USA

orders@diversatekhc.com sales@diversatekhc.com

Technical Research & Training Center 9150 Commerce Center Circle, Suite 500 Highlands Ranch, CO 80129 USA

technicalsupport@diversatekhc.com clinicalsupport@diversatekhc.com clinicaleducation@diversatekhc.com Diversatek

Learn more from your personal product representative at 800-558-6408